



## **FUEL PELLET**

U.S. Department of labour, Occupational Safety & Health Administration (Non-mandatory Form) Form approved by OMB No. 1218-0072

SECTION 1: PRODUCT AND COMPANY IDENTIFICATION

Product Name: Fuel Pellet

Product Code: FP

Manufacturer: Chornco LLC

Address: International Trading Office:

14A Village Walk, Onchan Isle of Man, IM3 4EB

British Isles

Emergency Phone Number: +44 (0) 1624 672089
Email: info@chornco.com

Chemical Family: Petroleum

Prepared by: PC

SECTION 2: COMPOSITION / INFORMATION ON INGREDIENTS

Composition: Specific chemical information is being withheld as a Trade Secret. Specific

chemical information will be made available to health professionals in

accordance with 29 CFR1910. 1200

Ingredients: Petroleum Hydrocarbons

SECTION 3: HAZARDOUS IDENTIFICATION

Emergency Overview: The product is non-hazardous as defined by US29CFR 1915(s)

Potential Health Effects:

Eyes Can cause irritation, redness, tearing, blurred vision

Skin Prolonged or repeated contact can create irritation, dermatitis, de-fatting Ingestion Can cause gastrointestinal irritation, nausea, vomiting, and diarrhea.

Carcinogenicity Not determined.

SECTION 4: FIRST AID MEASURES

Eyes: Flush with water for 15 Minutes. Call a Physician

Skin: Wash with Soap and water.

Ingestion: Induce vomiting and call Physician.

Inhalation: No special requirements.

Special notes to Physician: None

MSDS/2082/2011 Page 1 of 3



SECTION 5: FIRE FIGHTING MEASURES

Flammable Properties: Flash Point 177°C (350°F).

Method – Cleveland Open Cup.

Flammable limits – Not determined.

Extinguishing Media: Any UL approved Class B media such as foam, CO<sub>2</sub> or dry chemical.

Special Fire Fighting Procedures: Avoid water and steam to fight fire. The product will float.

SECTION 6: ACCIDENTAL RELEASE MEASURES

Accidental release: Solid material can be scooped. If melted allow to cool to room temperature.

SECTION 7: HANDLING AND STORAGE INFORMATION

Handling and Storage: Store at a temperature below 60°F (15°C).

Other information: Refer to the Company's Product Storage & Handling Manual.

SECTION 8: EXPOSURE CONTROLS / PERSONAL PROTECTION

Ventilation: Local Exhaust preferred. Special – not required.

Respiratory Protection: Organic vapors cartridge or canister when exposed to heat vapors.

Eye Protection: Use safety goggles.

Protective Gloves: Oil resistant recommended.

Other Protective Clothing or equipment: None

Work/Hygienic Practices: Wash hands after handling. Change clothes if spilled on clothes.

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

Appearance: Solid Tablet Form

Odour: None

Boiling Point: N/A

pH as supplied: Neutral

Melting Point: 49°C (120°F).

Freezing Point: Not determined.

Vapour Pressure (mm Hg): <1

Vapour Density (air=1):

Specific Gravity (@15°C):

Evaporation Rate:

Negligible

0.83

<

Solubility in water: Negligible.

SECTION 10: STABILITY AND REACTIVITY

Stability: Stable. Avoid temperatures greater 75°C (167°F)

Incompatibility: Avoid strong oxidising agents.

Hazardous: Non-hazardous Hazardous Polymerisation: Will not occur.

MSDS/FUEL PELLET/2011 Page 2 of 3



SECTION 11: TOXICOLOGICAL INFORMATION

Toxicological Information: Non-Toxic.

Eye Irritation: Slight to moderate.

Skin Irritation: Slight.
Respiratory Irritation: Slight

### SECTION 12: ECOLOGICAL INFORMATION

No data available that would indicate any adverse affects of this product on the environment.

SECTION 13: DISPERSAL CONSIDERATIONS

Waste Disposal Method: Dispose of in accordance with US Recourses Conversation and Recovery

Act. Follow Federal, State and Local Regulations.

RCRA Hazard Class: Not applicable.

**SECTION 14: TRANSPORTATION INFORMATION** 

This product is not classified as hazardous for DOT shipping.

SECTION 15: REGULATORY INFORMATION

**US Federal Regulations:** 

OSHA Table Z: Petroleum Distillates

TCSA Not applicable. CERCLA 40 CFR 302.4: Not applicable.

SARA Title III

Section 302 Extremely Hazardous: Not applicable

Section311/312

Fire Hazard:

Reactive Hazard:

No.

Release of Pressure:

No.

Acute Health Hazard:

No.

Chronic Health Hazard:

No.

Section 313 Toxic Chemical: Not applicable.

US Stare Regulations:

California Proposition 65: Does not contain chemicals known to the State of California to cause cancer.

# **SECTION 16: OTHER INFORMATION**

The information and recommendations contained in this document are the best of Chornco's knowledge and belief, accurate and reliable at the time of issue. Chornco make no warranty or guarantee, expressed or implied, of their accuracy or reliability and as such Chornco shall not be liable for the loss or damage based upon the criteria supplied through rating systems, together with Chornco's interpretation of the available data.

MSDS/FUEL PELLET/2011 Page 3 of 3





## **FUEL STICK**

U.S. Department of labour, Occupational Safety & Health Administration (Non-mandatory Form) Form approved by OMB No. 1218-0072

SECTION 1: PRODUCT AND COMPANY IDENTIFICATION

Product Name: Fuel Stick
Product Code: FS 50

Manufacturer: Chornco LLC

Address: International Trading Office:

14A Village Walk, Onchan Isle of Man, IM3 4EB

British Isles

Emergency Phone Number: +44 (0) 1624 672089
Email: info@chornco.com

Chemical Family: Petroleum

Prepared by: PC

SECTION 2: COMPOSITION / INFORMATION ON INGREDIENTS

Composition: Specific chemical information is being withheld as a Trade Secret. Specific

chemical information will be made available to health professionals in

accordance with 29 CFR1910. 1200

Ingredients: Petroleum Hydrocarbons

SECTION 3: HAZARDOUS IDENTIFICATION

Emergency Overview: The product is non-hazardous as defined by US29CFR 1915(s)

Potential Health Effects:

Eyes Can cause irritation, redness, tearing, blurred vision

Skin Prolonged or repeated contact can create irritation, dermatitis, de-fatting Ingestion Can cause gastrointestinal irritation, nausea, vomiting, and diarrhea.

Carcinogenicity Not determined.

SECTION 4: FIRST AID MEASURES

Eyes: Flush with water for 15 Minutes. Call a Physician

Skin: Wash with Soap and water.

Ingestion: Induce vomiting and call Physician.

Inhalation: No special requirements.

Special notes to Physician: None

MSDS/FUEL STICK/2011 Page 1 of 3



SECTION 5: FIRE FIGHTING MEASURES

Flammable Properties: Flash Point 177°C (350°F).

Method – Cleveland Open Cup.

Flammable limits – Not determined.

Extinguishing Media: Any UL approved Class B media such as foam, CO<sub>2</sub> or dry chemical.

Special Fire Fighting Procedures: Avoid water and steam to fight fire. The product will float.

SECTION 6: ACCIDENTAL RELEASE MEASURES

Accidental release: Solid material can be scooped. If melted allow to cool to room temperature.

SECTION 7: HANDLING AND STORAGE INFORMATION

Handling and Storage: Store at a temperature below 60°F (15°C).

Other information: Refer to the Company's Product Storage & Handling Manual.

SECTION 8: EXPOSURE CONTROLS / PERSONAL PROTECTION

Ventilation: Local Exhaust preferred. Special – not required.

Respiratory Protection: Organic vapors cartridge or canister when exposed to heat vapors.

Eye Protection: Use safety goggles.

Protective Gloves: Oil resistant recommended.

Other Protective Clothing or equipment: None

Work/Hygienic Practices: Wash hands after handling. Change clothes if spilled on clothes.

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

Appearance: Solid Tablet Form

Odour: None

Boiling Point: N/A

pH as supplied: Neutral

Melting Point: 49°C (120°F).

Freezing Point: Not determined.

Vapour Pressure (mm Hg): <1

Vapour Density (air=1):

Specific Gravity (@15°C):

Evaporation Rate:

Negligible

0.83

<

Solubility in water: Negligible.

SECTION 10: STABILITY AND REACTIVITY

Stability: Stable. Avoid temperatures greater 75°C (167°F)

Incompatibility: Avoid strong oxidising agents.

Hazardous: Non-hazardous Hazardous Polymerisation: Will not occur.

MSDS/FUEL PELLET/2011 Page 2 of 3



SECTION 11: TOXICOLOGICAL INFORMATION

Toxicological Information: Non-Toxic.

Eye Irritation: Slight to moderate.

Skin Irritation: Slight.
Respiratory Irritation: Slight

### SECTION 12: ECOLOGICAL INFORMATION

No data available that would indicate any adverse affects of this product on the environment.

SECTION 13: DISPERSAL CONSIDERATIONS

Waste Disposal Method: Dispose of in accordance with US Recourses Conversation and Recovery

Act. Follow Federal, State and Local Regulations.

RCRA Hazard Class: Not applicable.

**SECTION 14: TRANSPORTATION INFORMATION** 

This product is not classified as hazardous for DOT shipping.

SECTION 15: REGULATORY INFORMATION

**US Federal Regulations:** 

OSHA Table Z: Petroleum Distillates

TCSA Not applicable. CERCLA 40 CFR 302.4: Not applicable.

SARA Title III

Section 302 Extremely Hazardous: Not applicable

Section311/312

Fire Hazard:

Reactive Hazard:

No.

Release of Pressure:

No.

Acute Health Hazard:

No.

Chronic Health Hazard:

No.

Section 313 Toxic Chemical: Not applicable.

US Stare Regulations:

California Proposition 65: Does not contain chemicals known to the State of California to cause cancer.

# **SECTION 16: OTHER INFORMATION**

The information and recommendations contained in this document are the best of Chornco's knowledge and belief, accurate and reliable at the time of issue. Chornco make no warranty or guarantee, expressed or implied, of their accuracy or reliability and as such Chornco shall not be liable for the loss or damage based upon the criteria supplied through rating systems, together with Chornco's interpretation of the available data.

MSDS/FUEL PELLET/2011 Page 3 of 3